

◆ CONVULVULACEAE. The Morning-glory Family.

Calystegia (L.) R.Br.

***C. pellita** (Ledeb.) G.Don. California rose.

C. sepium (L.) R.Br. Hedge bindweed.

var. **sepium**

var. **fraterniflora** (Mack. & Bush) Shinner

C. spithamea (L.) Pursh. Low bindweed.

Convolvulus L.

***C. arvensis** L. Field bindweed.

Ipomoea L. Morning-glory.

***I. coccinea** L. Red m.-g.

***I. hederacea** Jacq. Ivy-leaved m.-g.

***I. lacunosa** L. White m.-g.

I. pandurata (L.) G.Mey. Wild sweet potato vine.

***I. purpurea** (L.) Roth. Common m.-g.

***I. quamoclit** L. Cypressvine.

†**I. turbinata** Lag. Purple moonflower.

◆ CORNACEAE. The Dogwood Family.

Cornus L. Dogwood.

C. alternifolia L.f. Alternate-leaved d.

C. amomum Mill. Red d.

subsp. **amomum**

subsp. **obliqua** (Raf.) J.S.Wilson

C. drummondii C.A.Mey. Rough-leaved d.

C. florida L. Flowering d.

C. foemina Mill. Swamp d.

subsp. **foemina**

subsp. **racemosa** (Lam.) J.S.Wilson

◆ CRASSULACEAE. The Stonecrop Family.

Sedum L. Stonecrop.

***S. acre** L. Golden-carpet.

S. pulchellum Michx. Widow's-cross.

***S. purpureum** (L.) Schult. Live-forever.

***S. sarmentosum** Bunge. Yellow s.

!**S. telephioides** Michx. Allegheny s.

S. ternatum Michx. Three-leaved s.

◆ CUCURBITACEAE. The Gourd Family.

Citrullus Schrad.

†**C. lanatus** (Thunb.) Matsum. & Nakai. Watermelon.

Cucumis L.

†**C. melo** L. Cantaloupe, muskmelon.

†**C. sativus** L. Cucumber.

Cucurbita L.

†**C. foetidissima** HBK. Missouri gourd.

†**C. pepo** L.

subsp. **ovifera** (L.) D.S.Decker. Pear gourd.

subsp. **pepo**. Pumpkin.

Echinocystis Torr. & A.Gray

E. lobata (Michx.) Torr. & A.Gray. Wild cucumber.

Melothria L.

M. pendula L. Creeping cucumber.

Sicyos L.

S. angulatus L. Bur cucumber.

◆ CUSCUTACEAE. The Dodder Family.

Cuscuta L. Dodder.

C. cephalanthi Engelm. Buttonbush d.

C. compacta Juss. Sessile d.

C. coryli Engelm. Hazel d.

***C. epithymum** (L.) L. Legume d.

C. gronovii Willd. Common d.

C. indecora Choisy. Collared d.

C. pentagona Engelm. Field d.

C. polygonorum Engelm. Smartweed d.

C. rostrata Schuttlew. ex Engelm. Beaked d.

◆ DIAPENSIACEAE. The Diapensia Family.

Galax Raf.

G. urceolata (Poir.) Brummitt. Galax.

◆ DIPSACACEAE. The Teasel Family.

Dipsacus L. Teasel.

***D. fullonum** L. Teasel.

***D. laciniatus** L. Cut-leaved t.

◆ DROSERACEAE. The Sundew Family.

Drosera L. Sundew.

!**D. brevifolia** Pursh. Small-leaved s.

!**D. intermedia** Hayne. Narrow-leaved s.

◆ EBENACEAE. The Ebony Family.

Diospyros L.

D. virginiana L. Persimmon.

◆ ELAEAGNACEAE. The Oleaster Family.

Elaeagnus L.

***E. pungens** Thunb. Silverberry.

***E. umbellata** Thunb. Autumn-olive.

◆ ERICACEAE. The Heath Family.

Epigaea L.
E. repens L. Trailing arbutus.

Gaultheria L.
G. procumbens L. Wintergreen.

Gaylussacia HBK. Huckleberry.
G. baccata (Wangenh.) K.Koch. Black h.
G. brachycera (Michx.) A.Gray. Box h.

Kalmia L.
K. latifolia L. Mountain laurel.

Leiophyllum R.Hedw.
!L. buxifolium (Bergius) Elliott. Sand-myrtle.

Leucothoe D. Don. Dog-hobble.

L. fontanesiana (Steud.) Sleumer. Highland d.-h.
!L. recurva (Buckley) A.Gray. Mountain fetterbush.

Lyonia Nutt.
L. ligustrina (L.) DC. Maleberry.
var. **foliosiflora** (Michx.) Fernald
var. **ligustrina**

Oxydendrum DC.
O. arboreum (L.) DC. Sourwood.

Rhododendron L. Azalea, laurel.
R. arborescens (Pursh) Torr. Smooth a.
R. calendulaceum (Michx.) Torr. Flame a.
!R. canescens (Michx.) Sweet. Piedmont a.
R. catawbiense Michx. Rosebay-l.
R. cumberlandense E.L.Braun. Cumberland a.
R. maximum L. Great-l.
R. minus Michx. Carolina-l.
R. periclymenoides (Michx.) Shinners. Pinkster-flower.
R. prinophyllum (Small) Millais. Rosebud a.

Vaccinium L. Blueberry, cranberry.
V. arboreum Marshall. Farkleberry.
V. corymbosum L. High-bush b.
!V. erythrocarpum Michx. Mountain c.
V. pallidum Aiton. Low-bush b.
V. stamineum L. Deerberry.
var. **stamineum**
var. **melanocarpum** C.Mohr

◆ EUPHORBIACEAE. The Spurge Family.

Acalypha L. Copperleaf
A. deamii (Weath.) H.E.Ahles. Two-seeded c.
A. gracilens A.Gray. Shortstalk c.
A. ostryifolia Riddell. Roughpod c.
A. rhomboidea Raf. Rhombic c.

A. virginica L. Virginia c.

Cnidioscolus Pohl.
***C. stimulosus** (Michx.) Engelm. & A.Gray. Bull-nettle.

Croton L. Croton.
C. capitatus Michx. Woolly c.
***C. glandulosus** L. Tooth-leaved c.
var. **septentrionalis** Muell.-Arg.
C. monanthogynus Michx. Prairie-tea.

Crotonopsis Michx. Rushfoil.
C. elliptica Willd. Willdenow's r.
C. linearis Michx. Michaux's r.

Euphorbia L. Spurge.
E. commutata Engelm. Tinted s.
E. corollata L. Flowering s.
var. **corollata**
var. **mollis** Millsp.
var. **paniculata** (Elliott) Boiss.
***E. cyparissias** L. Cypress s.
***E. cyathophora** Murray. Fire-on-the-mountain.
E. dentata Michx. Toothed s.
***E. falcata** L.
***E. humistrata** Engelm.ex A.Gray.
Small spreading sandmat.
E. maculata L. Spotted sandmat.
***E. marginata** Pursh. Snow-on-the-mountain.
!E. mercurialina Michx. Cumberland s.
E. nutans Lag. Eyebane.
***E. obtusata** Pursh. Woodland s.
***E. prostrata** Aiton. Prostrate sandmat.
E. serpens HBK. Small matted sandmat.

Phyllanthus L.
P. caroliniensis Walter.

Ricinus L.
***R. communis** L. Castor-bean.

Tragia L. Tragia.
T. cordata Michx. Heart-leaved t.
!T. urticifolia Michx. Nettle-leaved t.

◆ FABACEAE. The Legume Family.

Albizia Durazz.
***A. julibrissin** Durazz. Mimosa.

Amorpha L. False indigo.
A. fruticosa L. Desert f. i.
A. nitens F.E.Boynton. Shiny f. i.

Amphicarpaea Elliott.
A. bracteata (L.) Fernald. American hogpeanut.

Apios Fabr. Groundnut.

A. americana Medik. American g.

!**A. priceana** B.L.Rob. Kentucky g.

Astragalus L.

A. canadensis L. Canadian milk-vetch.

Baptisia Vent. Wild indigo.

B. alba (L.) Vent.

var. **macrophylla** (Larisey) Isley.
Largeleaf w. i.

!**B. australis** (L.) R.Br. Blue w. i.

var. **australis** (L.) R.Br.

var. **minor** (Lehm.) Fernald.

!**B. bracteata** Muhl. ex Elliott. Plains w. i.

var. **glabrescens** (Larisey) Isely.

!**B. tinctoria** (L.) R.Br. Yellow w. i.

Centrosema (DC.) Benth.

C. virginianum (L.) Benth. Spurred butterfly-pea.

Cercis L.

C. canadensis L. Redbud.

Chamaecrista (L.) Moench.

C. fasciculata (Michx.) Greene. Partridge-pea.

C. nictitans (L.) Moench. Sensitive pea.

Cladrastis Raf.

C. kentukea (Dum.Cours.) Rudd. Yellowwood.

Clitoria L.

C. mariana L. Butterfly pea.

Coronilla L.

***C. varia** L. Crown-vetch.

Crotalaria L. Rattlebox.

C. sagittalis L. Weedy r.

Dalea L. Prairie-clover.

D. candida (Michx.) Michx. ex Willd. White p.-c.

!**D. purpurea** Vent. Purple p.-c.

Desmanthus Willd.

D. illinoensis (Michx.) MacMill. ex B.L.Rob. & Fernald.
Bundlenflower.

Desmodium Desv. Tick-trefoil.

D. canescens (L.)DC. Hoary t.-t.

D. ciliare (Muhl. ex Willd.) DC. Little-leaf t.-t.

D. cuspidatum (Muhl. ex Willd.) Loudon. Big t.-t.

D. glutinosum (Muhl. ex Willd.) Alph.Wood.
Cluster-leaf t.-t.

D. laevigatum (Nutt.) DC. Smooth t.-t.

D. nudiflorum (L.) DC. Naked t.-t.

D. nuttallii (Schind.) B.G.Schub.

D. paniculatum (L.) DC. Panicked t.-t.

D. pauciflorum (Nutt.) DC. Few-flowered t.-t.

D. rotundifolium DC. Round-leaved, or prostrate t.-t.

D. sessilifolium (Torr.) Torr. & A.Gray. Sessile-leaved t.-t.

D. viridiflorum (L.) DC. Velvety t.-t.

Dioclea HBK.

D. multiflora (Torr. & A.Gray) C.Mohr. Cluster-pea.

Galactia P.Browne.

G. volubilis (L.) Britton. Hairy milk-pea.

Gleditsia L.

!**G. aquatica** Marshall. Waterlocust.

G. triacanthos L. Honeylocust.

Gymnocladus Lam.

G. dioicus (L.) K.Koch. Kentucky coffeetree.

Lathyrus L. Vetchling, wild pea.

***L. hirsutus** L. Caley-pea.

***L. latifolius** L. Everlasting-pea.

!**L. palustris** L. Marsh-pea.

***L. sylvestris** L. Flat-pea.

***L. tuberosus** L. Vetchling.

!**L. venosus** Muhl. ex Willd. Veiny peavine.

Lespedeza Michx. Lespedeza.

***L. bicolor** Turcz. Shrub l.

!**L. capitata** Michx. Bush-clover.

***L. cuneata** (Dum.Cours.) G.Don. Chinese l.

L. hirta (L.) Hornem. Hairy l.

L. intermedia (S. Watson.) Britton. Wand l.

L. procumbens Michx. Downy trailing l.

L. repens (L.) Barton. Smooth trailing l.

***L. stipulacea** Maxim. Korean-clover.

***L. striata** (Thunb.) Hook. & Arn. Japanese-clover.

!**L. stuevei** Nutt. Velvety l.

L. violacea (L.) Pers. Violet l.

L. virginica (L.) Britton. Virginia l.

Lotus L.

***L. corniculatus** L. Birdsfoot-trefoil.

Lupinus L.

L. perennis L. Sundial lupine.

Medicago L.

***M. lupulina** L. Black medic.

***M. sativa** L. Alfalfa.

Melilotus Mill. Sweet-clover.

***M. alba** Medik. White s.-c.

***M. officinalis** (L.) Pall. Yellow s.-c.

Mimosa L.

M. quadrivalvis L. Sensitive brier.

Orbexilum Raf. Leather-root.

O. onobrychis (Nutt.) Rydb. French-grass.
O. pedunculatum (Mill.) Rydb. Sampson's snakeroot.
!O. stipulatum (Torr. & A.Gray) Rydb.
Large stipuled l.-r.

Phaseolus L.
P. polystachios (L.) BSP. Wild bean.

Psoralidium Rydb.
!P. tenuiflorum (Pursh) Rydb. Gray scurf-pea.

Pueraria DC.
***P. montana** (Lour.) Merr.
var. **lobata** (Willd.) Maesen & S.M.Almeida.
Kudzu.

Rhynchosia Lour.
!R. tomentosa (L.) Hook. & H.J.Arn. Snoutbean.

Robinia L. Locust.
R. hispida L. Bristly l.
R. pseudoacacia L. Black l.

Senna Mill. Senna.
S. hebecarpa (Fernald) H.S.Irwin & Barneby. Northern wild s.
S. marilandica (L.) Link. Southern wild s.
S. obtusifolia (L.) H.S.Irwin & Barneby. Sickle-pod.

Sesbania Scop.
S. exaltata (Raf.) Cory. Hemp sesbania.

Strophostyles Elliott. Woolly-bean.
S. helvula (L.) Elliott. Annual w.-b.
S. leiosperma (Torr. & A.Gray) Piper. Small-flowered w.-b.
S. umbellata (Muhl. ex Willd.) Britton. Perennial w.-b.

Stylosanthes Sw.
S. biflora (L.) BSP. Pencil-flower.

Tephrosia Pers. Goat's-rue.
!T. spicata (Walter) Torr. & A.Gray. Southern g.-r.
T. virginiana (L.) Pers. Virginia g.-r.

Thermopsis R.Brown. Goldenbanner.
!T. mollis (Michx.) M.A.Curtis ex A.Gray.
T. villosa (Walter) Fernald & B.G.Schub.

Trifolium L. Clover.
***T. arvense** L. Rabbit-foot c.
***T. aureum** Pollich. Palmate hop-c.
***T. campestre** Schreb. Pinnate hop-c.
***T. dubium** Sibth. Little hop-c.
***T. hybridum** L. Alsike c.
***T. incarnatum** L. Crimson c.
***T. pratense** L. Red c.
!T. reflexum L. Annual buffalo c.
***T. repens** L. White c.
***T. resupinatum** L. Persian c.

!T. stoloniferum Muhl. ex A.A.Eaton. Running buffalo c.

Vicia L. Vetch.
V. caroliniana Walter. Pale v.
***V. grandiflora** Scop. Bigflower v.
***V. sativa** L. Common v.
***V. tetrasperma** (L.) Schreb.
***V. villosa** Roth. Hairy v.
var. **varia** (Host) Corb.
var. **villosa**

Wisteria Nutt. Wisteria.
W. frutescens (L.) Poir. Wisteria.
***W. sinensis** (Sims) Sweet. Chinese w.

◆ FAGACEAE. The Beech Family.

Castanea Mill. Chestnut.
!C. dentata (Marshall) Borkh. American c.
***C. mollissima** Blume. Chinese c.
!C. pumila (L.) Mill. Chinquapin, dwarf c.
***C. sativa** Mill. Spanish c.

Fagus L. Beech.
F. grandifolia Ehrh. American beech.

Quercus L. Oak.
†**Q. acutissima** Carruth. Saw-tooth o.
Q. alba L. White o.
Q. bicolor Willd. Swamp white o.
Q. coccinea Münchh. Scarlet o.
Q. falcata Michx. Southern red o., Spanish o.
Q. ilicifolia Wangenh. Bear o.
Q. imbricaria Michx. Shingle o.
Q. lyrata Walter. Overcup o.
Q. macrocarpa Michx. Bur o.
Q. marilandica Münchh. Blackjack o.
Q. michauxii Nutt. Swamp chestnut o.
Q. montana Willd. Chestnut o.
Q. muhlenbergii Engelm. Chinquapin or chinkapin o.
Q. nigra L. Water o.
Q. pagoda Raf. Cherrybark o.
Q. palustris Münchh. Pin o.
Q. phellos L. Willow o.
Q. prinoides Willd. Dwarf chinquapin o.
†**Q. robur** L. English white o.
Q. rubra L. Northern red o.
Q. shumardii Buckley. Shumard o.
Q. stellata Wangenh. Post o.
Q. texana Buckley. Nuttall's o.
Q. velutina Lam. Black o.

◆ FUMARIACEAE. The Fumitory Family.

Adlumia Raf.
!A. fungosa (Aiton) Greene ex BSP. Climbing fumitory.

Corydalis Vent. Corydalis.

C. flavula (Raf.) DC. Pale c.
!C. sempervirens (L.) Pers. Pink c.

Dicentra Bernh. Bleeding heart.
D. canadensis (Goldie) Walp. Squirrel-corn.
D. cucullaria (L.) Bernh. Dutchman's-breeches.

◆ GENTIANACEAE. The Gentian Family.

Bartonia Muhl. Screw-stem.
B. paniculata (Michx.) Muhl. Twining s.-s.
!B. virginica (L.) BSP. Virginia s.-s.

Frasera L.
F. caroliniensis Walter. American columbo.

Gentiana L. Gentian.
G. andrewsii Griseb. Prairie closed g.
!G. decora Pollard. Appalachian g.
!G. flavida A.Gray. Pale g.
!G. puberulenta J.S.Pringle. Prairie g.
G. saponaria L. Soapwort g.
G. villosa L. Striped g.

Gentianella Moench. Gentian.
G. quinquefolia (L.) Small. Stiff g.
var. **occidentalis** (A.Gray) Small
var. **quinquefolia**

Obolaria L.
O. virginica L. Pennywort.

Sabatia Adans. Marsh-pink.
S. angularis (L.) Pursh. Common m.-p.
!S. campanulata (L.) Torr. Slender m.-p.

◆ GERANIACEAE. The Geranium Family

Erodium L'Hér.
***E. cicutarium** (L.) L'Her. Red-stem filaree.

Geranium L. Crane's-bill.
G. carolinianum L. Carolina c.-b.
var. **carolinianum**
var. **confertifolium** Fernald
***G. columbinum** L. Longstalk c.-b.
***G. dissectum** L.
G. maculatum L. Wild geranium.
***G. molle** L. Dove's-foot c.-b.
***G. pusillum** L. Small-flowered c.-b.

◆ GROSSULARIACEAE. The Gooseberry Family.

Itea L.
I. virginica L. Virginia willow.

Ribes L. Currant, gooseberry.

R. americanum Mill. Eastern black c.
R. cynosbati L. Prickly g.
R. missouriense Nutt. Ex Torr. & A.Gray. Missouri g.
†**R. odoratum** H.Wendl.
†**R. sativum** Syme.
†**R. urva-crispa** L. var. sativa DC.

◆ HALORAGACEAE. The Water-milfoil Family.

Myriophyllum L. Water-milfoil.
***M. aquaticum** (Vell.) Verdc.
!M. heterophyllum Michx.
!M. pinnatum (Walter) BSP.
***M. spicatum** L.

Proserpinaca L. Mermaidweed.
P. palustris L. Common m.
var. **creba** Fernald & Griscom
var. **palustris**

◆ HAMAMELIDACEAE. The Witchhazel Family.

Hamamelis L.
H. virginiana L. Witch-hazel.

Liquidambar L.
L. styraciflua L. Sweet gum.

◆ HIPPOCASTANACEAE. The Buckeye Family.

Aesculus L. Buckeye.
A. flava Ait. Yellow b.
A. glabra Willd. Ohio b.
†**A. hippocastanum** L. Horse-chestnut.
!A. pavia L. Red b.

◆ HYDRANGEACEAE. The Hydrangea Family

Deutzia Thunb.
***D. scabra** Thunb. Deutzia.

Hydrangea L. Hydrangea.
H. arborescens L. Wild h.
H. cinerea Small. Wild h.

Philadelphus L. Mock-orange.
***P. coronarius** L. European m.-o.
P. hirsutus Nutt. Cumberland m.-o.
!P. inodorus L. Appalachian m.-o.
!P. pubescens Loisel. Ozarkian m.-o.
var. **intectus** (Beadle) A.H.Moore
var. **pubescens**

◆ HYDROPHYLLACEAE. The Waterleaf Family.

Ellisia L.

E. nyctelea (L.) L. Water-pod.

Hydrolea L. False Fiddleleaf.

!**H. ovata** Nutt. Ovate f. f.

!**H. uniflora** Raf. One-flowered f. f.

Hydrophyllum L. Waterleaf.

H. appendiculatum Michx. Biennial w.

H. canadense L. Maple-leaved w.

H. macrophyllum Nutt. Hairy w.

!**H. virginianum** L. Eastern w.

Nemophila Nutt.

!**N. aphylla** (L.) Brummitt. Nemophila.

Phacelia Juss. Phacelia.

P. bipinnatifida Michx. Forest p.

P. purshii Buckley. Miami-mist.

!**P. ranunculacea** (Nutt.) Constance. Blue scorpion-weed.

◆ JUGLANDACEAE. The Walnut Family

Carya Nutt. Hickory.

!**C. aquatica** (F.Michx.) Nutt. Water h.

C. caroliniae-septentrionalis (Ashe) Engelm. & Graebn.
Southern shagbark h.

C. cordiformis (Wangenh.) K.Koch. Bitternut h.

C. glabra (Mill.) Sweet. Pignut h.

C. illinoensis (Wangenh.) K.Koch. Pecan h.

C. laciniosa (F.Michx.) Loudon. Shellbark h.

C. ovata (Mill.) K.Koch. Shagbark h.

C. pallida (Ashe) Engl. & Graebn. Sand h.

C. tomentosa (Poir.) Nutt. Mockernut, white h.

Juglans L. Walnut.

!**J. cinerea** L. White w., butternut.

J. nigra L. Black w.

◆ LAMIACEAE. The Mint Family.

Agastache Gronov. Giant-hyssop.

A. nepetoides (L.) Kuntze. Catnip g.-h.

A. scrophulariifolia (Willd.) Kuntze. Purple g.-h.

Ajuga L.

†**A. reptans** L. Carpet bugleweed.

Blephilia Raf. Wood mint.

B. ciliata (L.) Benth. Downy w. m.

B. hirsuta (Pursh) Benth. Hairy w. m.

Calamintha Mill. Calamint.

C. glabella (Michx.) Benth. Ozark c.

***C. nepeta** (L.) Savi. Lesser c.

Clinopodium L.

C. vulgare L. Wild basil.

Collinsonia L. Horse-balm.

C. canadensis L. Northern h.-b.

!**C. verticillata** Baldwin ex Elliott. Whorled h.-b.

Conradina A.Gray.

C. verticillata Jennison. Cumberland false rosemary.

Cunila L.

C. origanoides (L.) Britton. Stone-mint.

Glechoma L.

***G. hederacea** L. Ground-ivy.

Hedeoma Pers. False Pennyroyal.

H. hispida Pursh. Rough f. p.

H. pulegioides (L.) Pers. American f. p.

Isanthus Michx.

I. brachiatus (L.) BSP. False pennyroyal.

Lamium L. Dead-nettle.

***L. amplexicaule** L. Henbit.

***L. purpureum** L. Red d.-n.

Leonurus L. Motherwort.

***L. cardiaca** L. Motherwort.

***L. marrubiastrum** L. Horehound-m.

***L. sibiricus** L. Honeyweed.

Lycopus L. Water-horehound.

L. americanus Muhl. American w.-h.

L. rubellus Moench. Stalked w.-h.

L. uniflorus Michx. Northern w.-h.

L. virginicus L. Virginia w.-h.

Marrubium L.

***M. vulgare** L. Horehound.

Meehania Britton.

M. cordata (Nutt.) Britton. Meehan's mint.

Melissa L.

***M. officinalis** L. Lemon balm.

Mentha L. Mint.

M. arvensis L. var. **canadensis** (L.) Briq. Field m.

***M. xgentilis** L. Red mint.

***M. xpiiperata** L. Peppermint.

***M. xrotundifolia** (L.) Huds. Roundleaf mint.

***M. spicata** L. Spearmint.

Monarda L. Bee-balm.

M. bradburiana Beck. Eastern b.-b.

***M. citriodora** Cerv. ex Lag. Lemon b.-b.

M. clinopodia L. Basil b.-b.

M. didyma L. Oswega-tea.

M. fistulosa L. Wild bergamot.

var. **fistulosa**

var. **mollis** (L.) Benth.

M. media Willd. Purple bergamot.

M. punctata L. Spotted b.-b.

M. russeliana Nutt. Redpurple b.-b.

Mosla (Benth.) Buch.-Ham. Ex Maxim.

***M. dianthera** (Buch.-Ham.) Maxim. Mosla.

Nepeta L.

***N. cataria** L. Catnip.

Perilla L.

***P. frutescens** (L.) Britton. Perilla mint.

Physostegia Benth. Dragonhead.

!**P. intermedia** (Nutt.) Engelm. & A.Gray. Slender d.

P. virginiana (L.) Benth. False d.

Prunella L.

P. vulgaris L. Self-heal.

var. **lanceolata** (Barton) Fernald.

var. **vulgaris**

Pycnanthemum Michx. Mountainmint.

!**P. albescens** Torr. & A.Gray. Whiteleaf m.

P. incanum (L.) Michx. Hoary m.

P. loomisii Nutt. Loomis's m.

P. muticum (Michx.) Pers. Blunt m.

P. pilosum Nutt. Pilose m.

P. pycnanthemoides (Leavenw.) Fernald. Southern m.

P. tenuifolium Schrad. Slender m.

P. verticillatum (Michx.) Pers. Verticillate m.

P. virginianum (L.) Durand & A.B.Jacks. Virginia m.

Salvia L. Sage.

S. azurea Michx. & Lam. Blue s.

var. **grandiflora** Benth.

S. lyrata L. Wild s.

***S. pratensis** L. Meadow s.

!**S. urticifolia** L. Nettle-leaved s.

Scutellaria L. Skullcap.

S. arguta Buckley. Appalachian s.

S. australis (Fassett) Epling.

S. elliptica Muhl. Hairy s.

var. **elliptica**

var. **hirsuta** (Short & R.Peter)

S. incana Biehler. Downy s.

var. **incana**

var. **punctata** (Chapm.) C.Mohr

S. integrifolia L. Large-flowered s.

S. lateriflora L. Mad-dog s.

S. leonardii Epling. Shale s.

S. nervosa Pursh. Veined s.

S. ovata Hill. Heart-leaved s.

S. parvula Michx. Little s.

!**S. saxatilis** Riddell. Rock s.

S. serrata Andr. Allegheny s.

Stachys L. Hedge-nettle.

S. cordata Riddell. Heart-leaf h.-n.

!**S. eplingii** J.B.Nelson. Epling's h.-n.

S. hispida Pursh. Hispid h.-n.

S. tenuifolia Willd. Smooth h.-n.

Synandra Nutt.

S. hispidula (Michx.) Britton. Guyandotte beauty.

Teucrium L.

T. canadense L. Canada germander.

Trichostema L. Blue-curls.

T. dichotomum L. Forked b.-c.

!**T. setaceum** Houtt. Narrow-leaf b.-c.